



S2 SERIES ELLIPTICAL

SH-B9100ET22

SH-B9100ET

SH-B9100E





S2 SERIES ELLIPTICAL



40 Levels of Adjustable Resistance

Featuring 40 resistance levels, the B9100E surpasses the standard 25-level design of most elliptical trainers. This offers finer control and supports users of all fitness levels—from beginners to advanced athletes.

Suspended Front Drive Natural And Smooth Movement Trajectory

The suspension-type front-drive design utilizes bearing-based transmission at all motion joints, eliminating the need for traditional tracks. This ensures quieter operation and smoother movement. The upward-sloping elliptical path provides a natural and fluid workout experience.



Up to 21.5" Touchscreen with Wireless Charging

The upgraded model offers a 21.5" full touchscreen, delivering enhanced visual clarity and intuitive interaction. All touchscreen versions now support wireless smartphone charging, aligning with modern user expectations and enhancing the premium feel of the equipment.

* Only compatible with models equipped with touch screens

Unlimited Connectivity

The SH-B9100E offers seamless compatibility with Samsung Galaxy Watch*, enabling real-time heart rate syncing, workout tracking, and personalized coaching directly from the wrist. This integration enhances training accuracy and immersion.

* Only compatible with models equipped with touch screens



COMPATIBLE WITH MULTIPLE SCREEN CONSOLE


- SH-B9100ET22 - 21.5" Touch Screen
- SH-B9100ET - 15.6" Touch Screen
- SH-B9100E - 15.6" LED



21.5" Touch Screen



15.6" Touch Screen



15.6" LED

21.5" Touch Screen

15.6" Touch Screen

15.6" LED



1825 mm

1892 mm



872 mm

PRODUCT SPECIFICATIONS

Dimension	1825 × 872 × 1892 mm / 72 × 34 × 74 in
Console	15.6" LED; 15.6" Touch Screen; 21.5" Touch Screen
Color	Black
Flywheel Weight	14 kg
Flywheel Type	Suspended Front Drive
Resistance System	Electromagnetic Resistance
Resistance Levels	40 levels
Heart Rate	Hand-grip Heart Rate
Max User Weight	180 kg / 397 lbs
N.W.	197 kg / 434 lbs
G.W.	257 kg / 567 lbs
Loading Capacity	20GP: 12 units / 40HQ: 26 units